	c				T
	human protea- some inhibition		С (5 µМ)		
	anti- plas- modial activity (3D7)				
	anti- plas- modial activity (Dd2)	a	æ	ω	8
	W	316[M+H]	323[M+H]	334[M+H]	280[M+H]
	synthesis method	2	8	7	4
TABLE 1	structure	NI ON NI PARAMETER	O NI	E SI	O ZI V
Į	Z	-	8	ю	*

v,	ю .		∞	o
O NI		S S S S S S S S S S S S S S S S S S S	₹ NI NI NI	
4	4	8	4	4
300[M+H]	390[M+H]	301[M+H]	323[M+H]	358[M+H]
ပ	U	Δ.	8	∢
۵				·

4.55	==	=
11,11,12	=	
thurs.	-	2
i	1	-
Here		-
1221	=	
1115	=	=
Trust that the street that that the	į	-
;		
there!	=	2
theat that milin	atord .	
adfa.	=	=
15,000	guil.	
ä	=	=
÷.	=	ä
Brite But Bries	2 Minute	2

	•	4	323[M+H]	മ	8	
	ZI ZI ZI					
		4	402[M+H]	8		
	ZI OZI					
i	0	4	381[M+H]	В		
	NT O					
1	. L. L. L.	4	391[M+H]	В	88	
	ZI OZI ZI					
		4	413[M+H]	8		

5	16	12	18	19
IX O IX	IN O IN THE STATE OF THE STATE		NH N	NAT OF ZI
4	4	4	4	4
391[M+H] 389[M-H]	381[M+H] 379[M-H]	338[M+H]	343[M+H]	370[M+H]
ω	æ	O	A	ω
B			A	
	·			

ī	-	Ē
ŧ		
Ē	==	=
Ξ	Ξ	=
	=	-
thung.	1	-
Series S		
11.11	=	
E .		=
31	H	****
F		
17.1431	=	-
1	Harry.	-
•	=	
	11500	
101	11 11 11	7
		-

					
		В(5 µМ)			
æ	æ		U	4	
450[M+H]	390[M+H]	447[M+H]	468[M+H]	500[M+H]	
ო	ო	o	က	m	
0 2 ZI 0 ZI 0 ZI	O ZH	O ZI	O ZI		
₹. ₹.	N.Y.	¥ 2 2 1	Ž,	₹ - ₹·	
20	21	22	23	24	

21 7 21		r	334[M+H]	ပ	ပ	A(50 µM)*
	0) % NT	······································				
-, -	o ^z	4	378[M+H]	¥	В	
0 ZI	\$ \\ \frac{1}{2} \\ \					
E	o.	က	410[M+H]	8		A(50 µM)
O ZI				-		
· · · · · · · · · · · · · · · · · · ·		3	546[M+H]	В		
¥	0=0-¥					
	Z=					

with that that they want that that their	œ.
1	=
il.	==
1	
¥	-
1	-
7	-
74.	
Ë	
Ë	
H. H. H., H. H.	
Ë	
HE WAS THE THE	
HE WAS THE THE	
m unit fait	

	*	2a	424[M+H]	ပ		A(50 µM)
%	O ZI					
35	ZI O=w=O ZI O=w=O	O	424[M+H] 422[M-H]	<		A(5 μM)*
36	O NI	ω	422[M+H]	8		
37		ω	424[M+H] 422[M-H]	∢		
38	O Z S Z N N H N H N H N H N H N H N H N H N H	ω	424[M+H]	4	ω	А(50 µМ)*

	A(50 µM)*	A(5 µM)*	A(5 µM)
æ	∢		
∢	∢	∢	∢
S06[M+H]	503[M-H] 501[M-H]	442[M+H] 440[M-H]	442[M+H] 440[M-H]
o	ത	æ	o
O N N N N N N N N N N N N N N N N N N N	O N N H	O ZI	
Ž, Ž	¥	₹. ₹.	₹. ₹.
86	04	4	\$

•	<u> -</u>	
A(5 µM)*	A(50 µM)*	A(5 µM)*
		∢
∢		<
490[M+H] 490[M-H]	492[M+H]	492[M+H] 490[M-H]
တ	ω	ω
43 H _V V	4	2. ₹.

94	O NI VI	ω	440[M+H] 440[M-H]	∢	A(50 µM)*	*()
47	O NI		478[M+H]		А(50 µМ)	(W
84	O S S S S S S S S S S S S S S S S S S S	o.	478[M+H]	æ	А(50 µМ)*	S
64	HZN NATH NATH NATH NATH NATH NATH NATH NAT	o	458[M-H]	∢	A(5 μM)*	÷

				-	
O ZI O ZI O ZI O ZI O ZI O ZI	o	460[M+H] 458[M-H]	ω		A(5 μM)*
ON NH	တ	458(M-H) 458(M-H)	Œ		A(5 µM)*
	တ	458[M-H]	∢		A(5 µM)
HZN CO SE O S	8	510[M+H]	В		·

A(50 μM)*	А(5 µМ)*	A(5 µM)*	A(50 µM)*
A(50	A(5	A(5	A(50
•			
			₹
478[M+H]	478[M+H] 476[M-H]	478[M+H] 476[M-H]	478[M+H]
ω	6	o	മ
ONS O		O TI	
T NI	¥	₹.	→ ₹
7,	S.	99	257

	_	
•	_	
į		
1		=
4	ī	=
1000	i	=
4		=
	-	=
1		=
100	ž	
i	=	=
1		=
27.07.2	-	5
		=
1	-	
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Ī	=

ω	ш	∢	
456[M+H] 454[M-H]	508[M+H]	442[M+H] 440[M-H]	
က	ω	ω	
		IZ O IZ	
₹. ₹.	N. T.		
8	SS SS	09	

_		The state of the s					
29	O ZI		တ	451[M-H]			A(5 µM)*
62		O NATH O	o	503[M+H] 501[M-H]	∢	∢	А(50 µМ)*
83	IZ O IZ	**************************************	တ	442[M+H] 440[M-H]	∢	∢	
2	IZ O IZ	LA CONTRACTOR OF THE CONTRACTO	ထ	440[M-H] 440[M-H]	4		В(5µМ)*

	i*_			
	A(5 µM)*	А(5 µМ)*		А(5 µМ)
			∢	
Company Compan	∢	∢	∢	മ
	458[M-H]	458[M-H]	478[M+H]	442[M+H] 440[M-H]
	o	တ	တ	ω
	TN ON THE PART OF	HN HN NH N	IZ O IZ O IZ O IZ O	
	65	99	29	89

the tend that the half half half half the half that the half with the half

	<u></u>	· · · · · · · · · · · · · · · · · · ·	
	A(5 µM)	A(5 µM)*	А(50 µМ)
	æ	4	œ
	503[M+H] 501[M-H]	469[M+H] 467[M-H]	529[M+H]
	ω	o	
H ting the man of many the state of the stat	O NET	o=	O. S. O.
	Į.	₹ - ¥	O F
	69	70	7

11-71-71-71-71-71-71-71-71-71-71-71-71-7		В(5 µМ)*		
B	æ		8	
8	æ	<	4	Φ
395[M+H]	395[M+H]	440[M+H]	393[M+H]	454[M+H]
4	4	60	4	4
O NI	O NI	O NH O NH O NH	O Z S Z	O ZI
72	23	74	75	76

۵	ω	۵	4	Ф
4 312[M+H]	4 404[M+H]	2 404[M+H]	2 404[M+H]	2a 450[M+H]
O ZI	₹ 21		O NI	
k	8.2	62	08	8 1.V.

a	Ф	æ	¥
460[M+H]	464[M+H]	468[M+H]	506[M-H]
2a	0	ω	4a
		ZI O	S T
¥ vi	2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	J. Z.	Z1 Z1 Z1
82	83	84	88

ICE ICE IEIEI

		T		
	А(50 µМ)	А(50 µМ)*		A(50 µM)
			A	V
	440[M+H]	494[M+H]	397[M+H]	370[M+H]
	4a	4a	49	4a
	N ZI	N ZI	ο ΣΙ σ ΣΙ ω Έντ ω Εντ ω Ε	O Z ZI VI ZI
	ž.	₹. ₹.	₹.	N. T.
	8	£	95	93

The first track could be for the first of th

unife.	=	į
iterate.	=======================================	7
11111	=	-
Ĭ	Ä	
3311613		
161911	=	2
i i	=	-
111113	Ï	
3		
1	=	
7	1	2
1	-	2
111111	1	16,110
6:1	=	
History	1	,,,,,,

509[M+H]] B 509[M-H] 0,	517[M+H] A 517[M+H] A 617[M+H] A	537[M+H] B 536[M-H] B
26 57 72	\$6 \$1	36 1 1 1 1

16693666.CSZEGE

44644		
Tion Pi	=	=
Thur.	=	-
Tente Stutt Brite .	-	
17.160		-
that that they that	2	7
5	=	
1	-	;
=		
3,14	=	2
March of white	Time:	=
		=
Heat.	2011	=
. World Him	=	=
Him	7	

			ę
			В (5 µМ)
		ပ	
ω	œ	∢	٧
478[M+H]	578[M-H] 578[M-H]	616[M+H] 614[M-H]	347[M-H]
7	8	ω	7
		O ZI ZY	O ZI O ZI O ZI
101 N	20 <u>7</u>	<u>ā</u>	26

+H]	8 E	<u> </u>	(H+)
339[M+H] 337[M-H]	436[M+H] 434[M-H]	506[M+H]	440[M+H]
7	7	ω	ω
ZI O	O VI	O ZII	
o i	2	IZ P	Iz Q
105	106	107	108

109	110	1
F P		ZI O
		O NH
	ω	ω
519[M+H] 517[M-H]	605[M+H] 605[M-H]	561[M+H]
m		
O	,	

	·	
		A(50 µM)
ω		
⋖	œ	
529[M+H] 527[M-H]	473[M+H] 475[M+H]	514[M+H]
ω	7	
O I S NH		O NH
ZI ZZ	£	NH.
112	113	114

ω	O
II.	Ŧ ±
452[M+H]	452[M+H]
	-
_	-

0=\(\varphi - \frac{1}{2} \)	0,18,10
	Ĭ Ì
0 2	
o Ž	o Ž
Į, į	\$ \frac{1}{2}
Ť.	*
115	116

	13C-NMR			
	1H-NMR (D ₆ -DMSO)	5.54 (s, 1 H, Ph ₂ CH), 7.11-7.21 (m, 10 H, Ar-H), 7.42 (ddd, J = 7.8, 1.8 and 1.1 Hz, 1 H, 4-H) 7.45-7.58 (m, 5 H, Ar-H), 7.69-7.78 (ddd, J = 8.1, 1.8 and 1.1 Hz, 1 H, 6-H), 6-H), 8.02 (t, J = 1.8 Hz, 1 H, 2-H)	3.96 (d, J = 6.3, 2 H, CH ₂), 7.22 - 7.29 (m, 5 H, Ar-H), 7.64 (d, J = 8.9, 2 H, Ar-H), 7.69 (d, J = 9.0, 2 H, Ar-H), 7.74 (d, J = 9.0, 2 H, Ar-H), 7.81 (d, J = 8.9, 2 H, Ar-H), 8.0 (t, J = 6.3, 1 H, N-H), 8.82 (s, 2 H, N-H), 9.18 (s, 2 H, N-H), 9.92 (s, 1 H, N-H), 10.00 (s, 1 H, N-H)	3.99 (d, J = 6.3, 2 H, CH ₂), 7.23-7.30 (m, 5 H, Ar-H), 7.36 (d, J = 8.3, 1 H, Ar-H), 7.40 - 7.43 (m, 1 H, Ar-H), 7.47 - 7.56 (m, 2 H, Ar-H), 7.58 - 7.56 (m, 1 H, Ar-H), 7.72 - 7.75 (m, 1 H, Ar-H), 7.98 (t, J = 1.8, 1 H, Ar-H), 8.12 (t, J = 1.8, 1 H, Ar-H), 8.19 (t, J = 6.3, 1 H, N-H), 9.00 (s, 2 H, N-H), 9.35 (s, 2 H, N-H), 9.77 (s, 1 H, N-H), 9.82 (s, 1 H, N-H)
TABLE 2	structure		ZI 0=0=0	O ZI O ZI O ZI
		₹	¥	¥.
	z	24	35	36

		3.99 (d, J = 6.3, 2 H, CH ₂), 7.24-	
	Ž	7.39 (m, 5 H, Ar-H), 7.42 (d, J = 7.0 1 H Ar-H) 7.50 (t, 1-7.0 4	
	7	H. Arth. 7.59 (d. 1 = 7 g. 1 H. Arth.	
	o=	H), 7.70 (d, J = 8.9, 2 H, Ar-H).	
34		7.81 (d, J = 8.9, 2 H, Ar-H), 8.09	
	Z	(t, J = 1.8, 1 H, Ar-H), 8.12 (t, J =	
	=	1.8, 1 H, Ar-H), 8.19 (t, J = 6.3, 1	
	>	H, N-H), 8.83 (s, 2 H, N-H), 9.18	
		(s, 2 H, N-H), 9.85 (s, 1 H, N-H),	
		10.02 (s, 1 H, N-H)	
		3.95 (d, J = 6.3, 2 H, CH ₂), 7.21-	46.5 (CH ₂), 117.4, 117.8,
		7.30 (m, 5 H, Ar-H), 7.37 (d, J =	121.8, 123.2, 127.4, 127.9
	0,000		128.2, 128.5, 129.5, 130.0
;			133.5, 138.2, 140.5, 143.6
9 -			(C-Ar), 152.9 (C=O), 166.6
		(t, J = 2.1, 1 H, Ar-H), 7.99 (t, J =	(C=N)
		6.3, 1 H, N-H), 9.13, (s, 2 H, N-H),	
		9.38 (s, 2 H, N-H), 10.08 (s, 1 H, N-	
		H), 10.23 (s, 1 H, N-H)	
	0	3.96 (s, 2 H, CH ₂), 7.29 - 7.39 (m,	45.9 (CH ₂), 117.4, 118.0,
	0.28.	3 H, Ar-H), 7.45 -7.50 (m, 1 H, Ar- 121.2, 121.5, 125.9, 128.2,	121.2, 121.5, 125.9, 128.2,
	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	1), 7.59 - 7.69 (m, 7 H, Ar-H), 7.89	129.3, 132.9, 133.2, 134.3,
\$		(s, 1 H, Ar-H), 9.73 (s, 1 H, N-H), 139.9, 142.4, 143.3 (C-Ar),	139.9, 142.4, 143.3 (C-Ar).
₹	ST TE	9.88 (s, 1 H, N-H)	152.7 (C=O), 164.6 (C=N)
	LAN AH		

4		4.00 (s, 2 H, CH ₂), 7.02 - 7.11 (m, 3 H, Ar-H), 7.29 - 7.34 (m, 1 H, Ar-H), 7.37 (d, J = 8.1, 1 H, Ar-H), 7.54 (t, J = 8.1, 1 H, Ar-H), 7.65 (d, J = 9.0, 2 H, Ar-H), 7.76 (m, J = 9.0, 2 H, Ar-H), 7.70 - 7.76 (m, 3 H, Ar-H), 7.96 (s, 1 H, Ar-H), 9.26 (s, br, 3 H, N-H), 10.13 (s, 1 H, N-H)
42	O NA HAN AND AND AND AND AND AND AND AND AND A	4.10 (s, 2 H, CH ₂), 7.38 (d, J = 8.4, 1 H, Ar-H), 7.51 - 7.58 (m, 5 H, Ar-H), 7.61 - 9.1, 2 H, Ar-H), 7.63 (m, 3 H, Ar-H), 7.96 (m, 3 H, Ar-H), 7.96 (s, 1 H, Ar-H), 9.24 (s, br, 3 H, N-H), 10.03 (s, 1 H, N-H), 10.18 (s, 1 H, N-H)
43	O S NH	4.14-4.16 (d, 2H, CH ₂); 7.40-7.81 (m, 10H, Ar); 8.02 (s, 1H, o-Ar); 8.15 (s, 1H, o-Ar); 8.40 (t, 1H, NH), 9.11 (s, 2H, NH); 9.42 (s, 2H, NH); 9.03 (s, 1H, NH); 9.98 (s, 1H, NH)

ing find ting the ting ting ting ting ting ting ting ting	4.07 (s, 2 H, CH ₂), 7.38 (d, J = 8.2, 1 H, Ar-H), 7.48 - 7.57 (m, 3 H, Ar-H), 7.64 - 7.67 (m, 4 H, Ar-H), 7.72 - 7.77 (m, 3 H, Ar-H), 7.95 (s, 1 H, Ar-H), 9.18 (s, br, 3 H, N-H), 10.03 (s, 1 H, N-H), 10.19 (s, 1 H, N-H)	3.95 (s, 2 H, CH ₂), 7.10 (t, J = 9.0, 2 H, Ar-H), 7.28 (dd, J = 8.8, J = 5.6, 2 H, Ar-H), 7.37 (d, J = 8.3, 1 H, Ar-H), 7.54 (t, J = 8.0, 1 H, Ar-H), 7.65 (d, J = 9.1, 2 H, Ar-H), 7.76 (m, 3 H, Ar-H), 7.70 - 7.76 (m, 3 H, Ar-H), 7.96 (s, 1 H, Ar-H), 10.09 (s, 1 H, N-H), 10.23 (s, 1 H, N-H)	4.00 (s, 2 H, CH ₂), 7.08 - 7.16 (m, 2 H, Ar-H) 7.28 - 7.39 (m, 3 H, Ar-H), 7.54 (t, J = 8.0, 1H, Ar-H), 7.65 (d, J = 8.9, 2 H, Ar-H), 7.71 - 7.75 (m, 3 H, Ar-H), 7.96 (s, 1 H, Ar-H), 9.08 (s, br, 3 H, N-H), 9.82 (s, 1 H, N-H), 9.95 (s, 1 H, N-H)
dent tagt fant tagt		O NH	O ZI
	₹. ŽI	₹	\$. \$\frac{1}{2}\$
	4	45	46

47	O N H H	4.05-4.06 (d, 2H, CH ₂); 6.99-7.07 (m, 1H, FAr); 7.33-7.74 (m, 7H, Ar); 7.96 (s, 1H, o-Ar); 8.05 (s, 1H, o-Ar); 8.28 (t, 1H, NH), 9.04 (s, 2H, NH); 9.35 (s, 2H, NH); 9.86 (s, 1H, NH); 9.89 (s, 1H, NH)
48	O S S N N N N N N N N N N N N N N N N N	3.99 (s, 2H, CH ₂); 7.29-7.73 (m, 10H, Ar); 7.95 (s, 1H, Ar); 9.18 (m br, 3H, C(NH)NH2); 9.69 (s, 1H, NH); 9.82 (s, 1H, NH)
49	O N H N H N N N N N N N N N N N N N N N	4.02 (s, 2 H, CH ₂), 7.11 - 7.18 (m, 3 H, Ar-H), 7.37 (d, J = 8.3, 1 H, Ar- H), 7.54 (t, J = 8.0, 1 H, Ar-H), 7.63 (d, J = 9.1, 2 H, Ar-H), 7.69 - 7.75 (m, 3 H, Ar-H), 7.96 (s, 1 H, Ar-H), 9.05 (s, br, 3 H, N-H), 9.83 (s, 1 H, N-H), 9.97 (s, 1 H, N-H)

3.96 (d, J = 6.3, 2 H, CH ₂), 7.98 - 7.05 (dddd, J = 8.5, J = 8.5, J = 2.5, J = 1.0, 1 H, Ar-H), 7.10 - 7.17 (ddd, J = 10.4, J = 9.5, J = 2.6, 1 H, Ar-H), 7.33 - 7.41 (m, 2 H, Ar- H), 7.53 (t, J = 8.0, 1H, Ar-H), 7.63 (d, J = 9.1, 2 H, Ar-H), 7.68 - 7.74 (m, 3 H, Ar-H), 7.95 (t, J = 1.8, 1 H, Ar-H), 9.05 (t, J = 6.2, 1 H, N- H), 8.98 (s, 2 H, N-H), 9.34 (s, 2 H, N-H), 9.77 (s, 1 H, N-H), 9.90 (s, 1 H, N-H)	3.98 (s, 2 H, CH ₂), 7.09 - 7.12 (m, 1 H, Ar-H), 7.22 - 7.38 (m, 3 H, Ar-H), 7.54 (t, J = 8.0, 1H, Ar-H), 7.63 (d, J = 9.1, 2 H, Ar-H), 7.69 - 7.75 (m, 3 H, Ar-H), 7.96 (s, 1 H, Ar-H), 9.10 (s, br, 3 H, N-H), 9.81 (s, 1 H, Ar-H), N-H), 9.95 (s, 1 H, N-H)	3,94 (d, J = 5.7, 2 H, CH ₂), 6.97 (t, J = 8.0, 2 H, Ar-H), 7.26 - 7.36 (m, 2 H, Ar-H), 7.26 - 7.36 (m, 2 H, Ar-H), 7.49 (t, J = 8.0, 1 H, Ar-H), 7.58 (d, J = 9.0, 2 H, Ar-H), 7.68 - 7.71 (m, 1 H, Ar-H), 7.91 - 7.94 (m, 2 H, Ar-H), 7.91 - 7.94 (m, 2 H, Ar-H), 9.02 (s, 2 H, N-H), 9.91 (s, 1 H, N-H), 9.32 (s, 2 H, N-H)
		O NH O NH
20	51	52

70		4.17 (s, 2H, CH ₂); 6.99-7.07 (m, 1H, Ar); 7.33-7.48 (m, 3H, Ar); 7.55-7.57 (m, 1H, Ar); 7.67-7.83 (m, 4H, p-Ar); 8.04 (s, 1H, o-Ar); 8.31 (br, 1H, NH), 9.06 (br, 4H, NH); 10.01 (s, 1H, NH); 10.22 (s, 1H, NH) 3.98 (s, 2 H, CH ₂), 7.15 (dd, J = 9.0, J = 6.9, 2 H, Ar-H), 7.82 (d, J = 7.70 (m, 6 H, Ar-H), 7.82 (
55	Z VI	7.8, 2 H, Ar-H), 9.08 (s, br, 3 H, N-H), 10.26 (s, 1 H, N-H), 10.35 (s, 1 H, N-H)	
26		3.98 (s, 2H, CH ₂), 7.16 (dd, J = 8.9, J = 6.9, 2 H, Ar-H), 7.35 (d, J = 7.9, 1 H, Ar-H), 7.52 (t, J = 8.0, 1 H, Ar-H), 7.62 (d, J = 9.0, 2 H, Ar-H), 7.62 (m, J = 9.0, 2 H, Ar-H), 7.71 (d, J = 9.0, 2 H, Ar-H), 7.71 (d, J = 9.0, 2 H, Ar-H), 7.94 (s, J = 4.41), 8.17 (s, hr 1 H, N-H)	
	, .	9.28 (s, br, 3 H, N-H), 10.13 (s, 1 H, N-H), 10.30 (s, 1 H, N-H)	

4.03 (s, 2H, CH ₂); 7.02-7.10 (m, 1H, Ar); 7.35-7.76 (m, 8H, Ar); 7.35-7.76 (m, 8H, Ar); 7.96 (s, 1H, Ar); 8.10 (s br, 1H, Ar); 8.10 (s br, 1H, Ar); 8.10 (s br, 1H, Ar); 9.99 (s br, 1H, NH);	4.03 (d, J = 5.0, 1 H, CH ₂), 7.02 - 7.12 (m, 3 H, Ar-H), 7.29 - 7.33 (m, 1 H, Ar-H), 7.39 - 7.43 (m, 1H, Ar- H), 7.49 (t, J = 7.9, 1H, Ar-H), 7.57 - 7.68 (m, 1 H, Ar-H), 7.70 (d, J = 8.9, 2 H, Ar-H), 7.81 (d, J = 9.0, 2 H, Ar-H), 8.10 (s, 1 H, Ar-H), 8.28 (s, br, 1 H, N-H), 8.84 (s, br, 2 H, N-H), 9.18 (s, br, 2 H, N-H), 9.18 (s, br, 2 H, N-H) 1 H, N-H), 10.04 (s, 1 H, N-H)	Hyn (C=N) 117.4, 117.7, 117.7, 117.7, 117.7, 117.7, 117.7, 117.7, 117.7, 117.8, 117.7, 117.7, 117.7, 117.8, 117.8, 117.7, 117.7, 117.8, 117.7, 117.8, 117.7, 117.7, 117.8, 117.7,
<u>\$</u>	→ ± ± ± ± ± ± ± ± ± ± ± ± ± ± ± ± ± ± ±	ž.
57		62

H H Ar-H), 7.29 - 7.36 (m, 1 H, Ar-H), 7.29 - 7.36 (m, 1 H, Ar-H), 7.29 - 7.36 (m, 1 H, Ar-H), 7.62 - 7.74 (m, 6 H, Ar-H), 7.82 (d, J = 8.9, 2 H, Ar-H), 8.09 (s, 1 H, N-H), 10.02 (s, 1 H, N-H), 10.10 (s, 1 H, N-H)	3.95 (d, J = 5.5,2 H, CH ₂), 7.11 (t, J = 8.9, 2 H, Ar-H), 7.28 (dd, J = 8.7, J = 5.6, 2 H, Ar-H), 7.63 - 7.84 (m, 6-H, Ar-H), 7.83 (d, J = 8.9, 2 H, Ar-H), 7.83 (d, J = 8.9, 2 H, Ar-H), 8.02 (t, J = 6.1, 1 H, N-H), 8.95 (s, 2 H, N-H), 9.21 (s, 2 H, N-H), 10.30 (s, N-H), 10.21 (s, 1 H, N-H), 10.30 (s, N-H), N-H)	3.99 (s, 2 H, CH ₂), 7.01 (t, J = 8.0. 2 H, Ar-H), 7.31 - 7.41 (m, 1 H, Ar-H), 7.49 (d, J = 8.7, 2 H, Ar-H), 7.67 - 7.61 (d, J = 8.9, 2 H, Ar-H), 7.67 - 7.74 (m, 4 H, Ar-H)	3.98 (s, 1 H, CH ₂), 7.02 (ddd, J = 8.5, J = 8.5, J = 2.3, 1 H, Ar-H), 7.11 - 7.18 (ddd, J = 9.8, J = 9.8, J = 9.8, J = 2.5, 1 H, Ar-H), 7.38 (ddd, J = 8.5, J = 8.5, J = 6.9, 1 H, Ar-H), 7.62 - 7.73 (m. 6 H, Ar-H), 7.82 (d, J = 8.5, J = 8.9, 2 H, Ar-H), 8.02 (s, br, 1 H,
IZ O TZ	IZ O IZ TZ	IZ O IZ	IZ O
63	2	65	99

	u.	4.01 (d, J = 5.3, 2 H, CH ₂), 7.01 - 7.07 (m. 1 H. Ar-H), 7.34 - 7.45 (m.
	:	1 H, Ar-H), 7.61 (d, J = 8.9, 2 H, Ar H) 7 68 (d, 1 = 7 5, 4 H, Ar-H)
29		7,81 (d, J = 8.9, 2 H, Ar-H), 8.10 (t,
	¥.	J = 5.5, 1 H, N-H), 8.92 (s, 2 H, N-
		H), 9.20 (s, 2 H, N-H), 10.13 (s, 1
) ()	H, N-H), 10.23 (s, 1 H, N-H)
		00 L (CHO HO 03 - 1 F) CO 1
		4.03 (a, J = 5.2, Z H, CHZ), 7.0Z = 7.12 (m, 3 H, Ar_H) 7.29 = 7.44 (m)
		3 H. Ar-H), 7.46 - 7.59 (m. 3 H. Ar-
	NI N	H), 7.73 (d, J = 8.3, 1 H, Ar-H),
89		7.98 (s, 1 H, Ar-H), 8.12 (t, J = 1.9,
	~	1 H, Ar-H), 8.27 (m, br, 1 H, N-H)
		9.00 (s, br, 2 H, N-H), 9.35 (s, br, 2
		H, N-H), 9.78 (s, br, 2 H, N-H)
	(4.05 (d, J = 6.1, 2 H, CH2), 7.33 -
	0=	7.51 (m, 6 H, Ar-H), 7.62 (d, J =
		8.9, 1 H, Ar-H), 7.73 - 7.76 (m, 3
	0//s >> ZI	H, Ar-H), 7.99 (t, J = 1.7, 1 H, Ar-
	¥	H), 8.17 (t, J = 1.9, 1 H, Ar-H),
69	~	8.65 (s, br, 4 H, N-H), 10.4 (s, br, 2
		H, N-H)
	H.N.H.S.	

LOCECCE CELECE

		7.36 (d, J = 8.2, 1 H, Ar-H), 7.51 (t,	
7.4	O ZI	J = 8.0, 1 H, Ar-H), 7.68 -7.73 (m, 3 H, Ar-H), 7.92 - 7.95 (m, 3 H, Ar- H), 8.17 (d, J = 9.1, 2 H, Ar-H), 8.38 (d, J = 9.1, 2 H, Ar-H), 9.07 (s, br, 3 H, N-H), 9.72 (s, br, 1 H, N	
06			46.03 (Bz CH2); 121.99- 142.95 (C Aryl); 165.58 (C(NH)NH2); 179.44 (C=S)
103	O NI	2.55 (t, J = 6.2, 2 H, NCH ₂), 3.25 (s, 4H, NCH ₂), 3.47 (t, J = 6.2, 2 H, NCH ₂), 3.54 (t, J = 4.5, 4 H, OCH ₂), 3.96 (s, 2 H, BnCH ₂), 7.22 - 7.39 (m, 3 H, Ar-H), 7.47 (t, J = 7.9, 1 H, Ar-H), 7.58 - 7.69 (m, 7 + 7.9, 1 H, Ar-H), 7.58 - 7.69 (m, 7 + 7.9, 1 H, Ar-H), 9.87 (s, 1 H, Ar-H), 9.27 (s, br, 1 H, N-H), 9.87 (s, 1 H, N-H) H), 10.00 (s, 1 H, N-H)	
104	IZ VII	3.61 (s, 4 H, NCH ₂ CH ₂ N), 7.28 - 7. 41 (m, 3 H, Ar-H), 7.47 - 7.53 (m, 3H, Ar-H), 7.99, (s, 1 H, Ar-H), 8.05 (s, 1 H, Ar-H), 9.61 (s, 1H, N- H), 9.89 (s, 1 H, N-H)	

		4.08 (d, J = 5.8, 2 H, CH ₂), 5.73	
107		(s, 2 H, N-H), 7.27-7.29 (m, 2 H, Ar. H), 7.46 - 7.51 (m, 2 H, Ar-H), 7.53 - 7.56 (m, 3 H, Ar-H), 7.60 (d, J = 9.0, 2 H, Ar-H), 7.68 (d, J =	
		9.0, 2 H, Ar-H), 7.77 (s, 1 H, Ar-H), 8.11, (t, J = 6.1, 1 H, N-H), 8.83 (s, 1 H, N-H), 9.09 (s, 1 H, N-H), 9.60, (s, 1 H, O-H)	
	0,1,5	4.03 (d, J = 6.3, 2 H, CH ₂), 6.75 (s, 45.7 (CH ₂), 115.9, 117.9, 2 H, N-H), 7.29 - 7.31 (m, 4 H, Ar. 119.3, 119.8, 125.8, 128.0, H NH.) 7 43 - 752 (m, 3 H Ar.H), 128.7, 132.9, 134.3, 139.2.	45.7 (CH ₂), 115.9, 117.9, 119.3, 119.8, 125.8, 128.0, 128.7, 132.9, 134.3, 139.2
5		7.66 (d, J = 9.0, 2 H, Ar-H), 7.73 - 142.2, 143.1, 143.7 (C-Ar), 7.79 (m, 5 H, Ar-H), 8.08 (t, J = 151.1 (C=O), 152.4 (C=N)	142.2, 143.1, 143.7 (C-Ar), 151.1 (C=O), 152.4 (C=N)
	THE STOP OF THE ST	6.3, 1 H, N-H), 8.87 (s, 1 H N-H), 9.13 (s, 1 H, N-H), 9.62 (s, 1 H, O- H)	
	0	3.60 (s, 4 H, NCH,CH,N), 4.02 (s,	
		2 H, BnCH ₂), 7.31 - 7.45 (m, 5 H, Ar-H), 7.56 (m, 1 H, Ar-H), 7.64 - 7.76 (m, 6 H, Ar-H), 7.95 (s, 1 H,	
112	ZI	Ar-H), 9.00 (s, 1 H, N-H), 9.23 (s, 1 H, N-H),	
	N. N.H		

locslocs cstrop

reller.	=	:
matter thank that there is	=	=
1	3	=
1	1	=
Tanal.	£	=
theef.	=======================================	=
Thurst	=	2
Truell thirth thirth thins	-	7
£		
Timber !	-	=
Ē	1	•
1		3
There's week	9110	=
1500	7	=
-	Here!	

114		0=5-	3.96 (s, 2H, CH ₂); 6.95-7.01 (m, 1H, Ar-H); 7.25-7.60 (m, 9H, Ar-H)	
	- - - - - - - - - - - - - - - - - - -			
	0 3	0=8-	4.07 (s, 2 H, BnCH ₂), 7.18-7.25 47.9 (CH ₂ -Bn), 120.7 (C-2), (m, 5 H, Ph), 7.59 (dt, J = 7.8 and 121.5 (C-2',6'), 125.3 (C-4), 1.7 Hz, 1 H, 4-H), 7.64 (t, J = 7.8 126.9 (C-6), 128.5 (C-4''), Hz, 1 H, 5-H), 7.83 (dt, J = 9.0 and 128.9, 129.1 and 129.4 (C-4).	47.9 (CH ₂ -Bn), 120.7 (C-2), 121.5 (C-2',6'), 125.3 (C-4), 126.9 (C-6), 128.5 (C-4''), 128.9, 129.1 and 129.4 (C-
115			2.1 Hz, 2 H, 3',5'-H), 7.96 (dt, J = 9.0 and 2.1 Hz, 2 H, 2',6'-H), 7.69	3,5,2",3"), 131.2 (C-5), 130.6, 138.2, 138.6, 139.7
				and 142.3 (C-1,3,1,3,1,1), 159.7 and 159.9 (C=O), 168.6 (C=NH)
			4.02 (s, 2 H, PhCH ₂), 7.18-7.30 46.1 (CH ₂ -Ph), 118.5 and (m, 5 H), 7.54-7.66 (m, 4 H), 8.07-119.9 (C-1 and C-1'), 122.4, 8.05 (m, 1 H), 8.17 (dt, J = 7.1 and 124.0, 124.2, 125.2, 127.0,	46.1 (CH ₂ -Ph), 118.5 and 119.9 (C-1 and C-1'), 122.4, 124.0, 124.2, 125.2, 127.0,
116	3	S E	2.0 Hz, 1 H), (Ar-H), 8.29-8.31 (m, 1 H) and 8.44-846 (m, 1 H) (H-1 and H-1')	127.5, 128.1, 129.0, 129.5, 129.6, 137.6, 138.0, 138.0 (C-aromatic), 158.6 and
	Σ Σ			158.6 (O=C-N), 166.1 (N=C-N)